

DS-KB2421T-IM Four-Wire Analog Door Station



The Hikvision 4-wire villa door station, with mental design, simple appearance and great texture, supports starting video intercom and providing door permission by one-touch button, which is easy to use. Plug-and-Play is supported, which is easy for installation and deployment, which is suitable for the scenarios of villa, detached house, etc.

- 4-wire plug & play analog door station
- 2 MP camera with self-adaptive IR supplement
- One-touch calling design for easier calls
- Supports two door stations simultaneously in the intercom system
- Convenient installation and easy operation
- Anti-oxidant aluminium alloy


▪ Specification

Display parameters	
Resolution	1920 × 1080 Stream resolution: 960 × 576
Video parameters	
FOV	Horizontal: 66.2°, Vertical: 37.2°
Supplement light	IR light, up to 3 m
Audio parameters	
Audio input	1 built-in omnidirectional microphone
Audio output	1 built-in loudspeaker
Audio quality	Noise suppression and echo cancellation
Device interfaces	
Lock control	1 relay, max 30V 1 A
General	
Protective level	IP65
Working temperature	-30 °C to 70 °C (-22 °F to 158 °F)
Working humidity	10% to 90% (no-condensing)
Dimension (W × H × D)	145.5 mm × 51.5 mm × 49 mm (57.3" × 2.02" × 1.93")
Power consumption	≤ 5 W
Material	Zinc alloy
Door station	
Power supply	12 VDC, 1 A

▪ Available Model

DS-KB2421T-IM

▪ Dimension



Unit: mm [inch]

SCALE	1:1
-------	-----

▪ Accessory

▪ Optional

DS-KAB21-B
Rain Cover



Headquarters

No.555 Qianmo Road, Binjiang District,
Hangzhou 310051, China
T +86-571-8807-5998
www.hikvision.com



Follow us on social media to get the latest product and solution information.

