

## DS-MP1301 LCD Mobile Monitor



### Features and Functions

- Real-time live view of the rear-view camera when the vehicle is backing off and other connected camera.
- Support 3-ch video input including one channel connecting to the mobile DVR, one channel connecting to the rear-view camera and one reserved channel connecting to the other camera.
- Support 2-ch alarm input.
- Manual switch of the 3-ch video and auto switch to the video of the channel triggering alarm.
- New GUI and supports the configuration of parameters such as brightness of the screen.
- Support mirror configuration of the rear-view camera.
- Aviation plugs of the interfaces to guarantee the fixation of the cables.
- Power supply via the connected mobile DVR.



## Specifications

Model		DS-MP1301
Screen	Size	7" TFT-LCD
	Resolution	800 × 480 RGB
	Backlight	LED
	Brightness	Adjustable
	Visual angle	130°
	System	PAL/NTSC
	Display mode	Mode 1: Manual switch Mode 2: Auto switch
Physical buttons	5 buttons	M (Short press to switch and long press to pop up the menu.) ▲ (Volume up) ▼ (Volume down) OK Power switch
Video input	Mobile DVR video output	1-ch. Four-pin aviation male plug, connecting to the mobile DVR.
	Rear-view camera video input	1-ch. Four-pin aviation male plug, connecting to the rear-view camera.
	The other camera video input	1-ch (reserved). Four-pin aviation male plug, connecting to the other camera.
Other interface	Alarm input	2-ch
General	Working voltage	12 VDC
	Working temperature	-20° C to +70° C (-4° F to +158° F)
	Working humidity	10% to 95%
	Protection grade	IP54
Others	Mounting type	Embedded mounting; Bracket mounting

## Physical Interfaces



Index	Description
1	For connecting to the AV OUT interface of the mobile DVR which is used to power the monitor.
2	For connecting to the rear-view camera.
3	Reserved for connecting to the other camera.
4	For switching to the rear-view camera.
5	For switching to the other camera.

## Available Model

DS-MP1301

Distributed by



### Headquarters

No.555 Qianmo Road, Binjiang District,  
Hangzhou 310051, China  
T +86-571-8807-5998  
overseasbusiness@hikvision.com

**Hikvision USA**  
T +1-909-895-0400  
sales.usa@hikvision.com

**Hikvision Italy**  
T +39-0438-6902  
info.it@hikvision.com

**Hikvision Singapore**  
T +65-6684-4718  
sg@hikvision.com

**Hikvision Europe**  
T +31-23-5542770  
saleseuro@hikvision.com

**Hikvision France**  
T +33(0)1-85-330-444  
info.fr@hikvision.com

**Hikvision Oceania**  
T +61-2-8599-4233  
salesau@hikvision.com

**Hikvision Middle East**  
T +971-4-8816086  
salesme@hikvision.com

**Hikvision Spain**  
T +34-91-737-16-55  
info.es@hikvision.com

**Hikvision Hong Kong**  
T +852-2151-1761

**Hikvision Russia**  
T +7-495-669-67-99  
saleru@hikvision.com

**Hikvision Poland**  
T +48-22-460-01-50  
poland@hikvision.com

**Hikvision Canada**  
T +1-909-895-0400  
sales.usa@hikvision.com

**Hikvision India**  
T +91-22-28469900  
sales@pramahikvision.com

**Hikvision UK**  
T +44-1628-9021-4  
support.uk@hikvision.com